

# PRODUCT DATASHEET

## Tracklight Pendant Connector White

Tracklight accessories | Tracklight accessories



---

### Areas of application

- Kitchens, living rooms, children's rooms or home offices
- Entrance areas

---

### Product benefits

- Timeless elegant design
- High-quality materials

---

### Product features

- Customisable modular tracklight system
- Accessories for tracklight system




TECHNICAL DATA

Electrical data

Nominal voltage	220...240 V
Mains frequency	50/60 Hz
Protection class	I

Dimensions & Weight

Length	81.0 mm
Width	34.0 mm
Height	40 mm
Product weight	33.00 g



TRACKLIGHT PENDANT  
CONNECTOR

Materials & Colors

Product color	White
Body material	Plastic

Application & Mounting

Ambient temperature range	-20...+40 °C
Type of protection	IP20




Certificates & Standards

Standards	RoHS / REACH / UKCA
Ball shot safe	No

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

## DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	TRACKLIGHT PENDANT CONNECTOR WT BK
	Declarations of conformity	DL ESSENTIAL AND TRACKLIGHT
	Declarations of conformity UKCA	DL ESSENTIAL AND TRACKLIGHT

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854386541	Folding box 1	40 mm x 90 mm x 45 mm	41.00 g	0.16 dm <sup>3</sup>
4099854386558	Shipping box 6	130 mm x 100 mm x 100 mm	314.00 g	1.30 dm <sup>3</sup>
4099854386565	Shipping box 96	420 mm x 280 mm x 225 mm	5542.00 g	26.46 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.