

PRODUCT DATASHEET LN INV SUSPENSION KIT WT

LINEAR INDIVILED SUSPENSION KIT | Suspension kit



Product benefits

- Complete suspension kit for easy and quick mounting of one luminaire
- Wire length adjustable thanks to quick-release clamp

Product features


- Complete suspension kit (ceiling connection box, push fit terminal, 2 suspension wires, transparent cable)
- Connection with 5-pin double plug terminal
- Ceiling box made of metal sheet, white powder-coated
- Stainless steel pendant cable and cable clips
- Available in black and white color



TECHNICAL DATA

Dimensions & Weight

Diameter	120 mm
Length	120 mm
Width	40 mm
Height	1500 mm
Product weight	600.00 g



Materials & Colors

Product color	White
Body material	Steel

Application & Mounting

With light source	No

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No

Safety advice

- All electrical connections must be made by a qualified person.

DOWNLOAD DATA

	Documents and certificates		Document name	
POF	User instruction / safety instructions		LN INV accessories	
POF	Legal information		LN INV ACC	
POF	Legal information	ı	Informationstext 18 Abs 4 ElektroG	
POF	Declarations of conformity	l	LN INV	
POF	Declarations of conformity UKCA		LN INV	
	Tender texts	Document name		
	Tender documents	LINEAR INDIVILED SUSF	PENSION KIT WT-EN	

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit) Dimensions (length x width x height)		Gross weight	Volume
4099854215537	Folding box 1	142 mm x 177 mm x 142 mm	720.00 g	3.57 dm ³
4099854215544	Shipping box 12	557 mm x 317 mm x 307 mm	9537.00 g	54.21 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

ADDITIONAL CATALOG INFORMATION



DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.